1039-2

COBURIN

ROUND TROUGH
TROLLEY TRACKS
and DOOR HANGERS



Catalogue Number 48

HENRY A. TERRY 422 COMMERCE STREET

PHILA.

PA.

Catalogue and Price List No. 48

Door Hangers Tracks, Etc.

Coburn Trolley Track Mfg. Co.

WAREHOUSES

NEW YORK, 90 West Street PHILADELPHIA, 422 Commerce Street CHICAGO, 65 East Lake Street BOSTON, 180 High Street

BRANCHES

London, Birmingham, Manchester, England Glasgow, Scotland

MAIN OFFICE AND WORKS
Holyoke, Massachusetts, U. S. A.

INTRODUCTORY

O other Door Hanger ever placed upon the market has been so widely imitated as The Coburn. The reason is obvious. In presenting this catalogue we wish to call especial attention to a number of new features and changes of importance. The goods illustrated and listed in this catalogue will be supplied on all orders received after July 1, 1916, as this catalogue supersedes all previous issues of our Door Hanger Catalogue. We also wish to call attention to the fact that we manufacture Rolling Ladders, Overhead Carrying Track and Carriers and Fire Proof Doors and Hardware, for all of which we issue separate catalogues, that we will gladly send upon request to anyone interested

17 0 0 0 0 0 0 0 0 0 DE

TERMS

All bills are payable in thirty days net, or a discount of two per cent. for cash in ten days from date of invoice.

Accounts overdue are subject to a sight draft.

All claims for errors in shipments or for shortages must be made within five days after receipt of goods.

Goods are sold f. o. b. cars at shipping point unless freight allowance is quoted.

All agreements are contingent upon strikes, accidents or other causes beyond our control.

Quotations are made for immediate acceptance.

We will replace free of charge any goods made by us that are found defective on account of material or workmanship.

Do not return any goods to us without first writing us for shipping instructions.

Prices in this catalogue, as well as discounts applying to same, subject to change without notice.

HOW TO ORDER COBURN BARN DOOR HANGERS AND TRACK

- Note 1 When hangers are listed as SETS we pack 2 End and 1 Open brackets with each set, enough for two pieces of track, and for every piece of track used in excess of two, an extra open bracket is required.
- Note 2 When hangers are listed as PAIRS no brackets are included and you will require one more bracket than there are pieces of track, two of which must be end (or closed) and the balance open brackets.
- Note 3 For double barn doors order the same as though each door was to be hung separately; the builder will then begin at center of the opening with a right and left closed bracket and build each way the requisite length of track for each door. The closed brackets at center will serve as stops, preventing either door from passing that point. A center stop bracket will be furnished in place of the end brackets for center if desired.
- Note 4 If you have several doors to be hung on one continuous run of track, so advise that we may substitute some open brackets for the closed ones packed in each set.
- Note 5 We can provide to have two or more parallel runs of tracks, allowing doors to slide by each other by using the parallel ear brackets. See pages 15 and 21.

Order by Numbers. See Lists, pages 9 to 25.

HOW TO ORDER COBURN BARN DOOR HANGERS AND TRACK

Note 1

Ascertain probable weight of door and order track, hangers and brackets by number. Always give thickness of doors.

Note 2

For doors not exceeding 300 pounds in weight use No. 1 track. For doors not exceeding 500 pounds in weight use No. $2\frac{1}{2}$ track. For doors not exceeding 1200 pounds in weight use No. 4 track. For doors exceeding 1200 pounds special attention needed.

Note 3

Brackets spaced four feet or five feet on centers will be sufficient if proper size track and hangers are used.

Note 4

Nos. 1 and $2\frac{1}{2}$ tracks are furnished in even foot lengths up to ten feet.

No. 4 track in even foot lengths up to eight feet.

Note 5

For parallel runs of track attached to face of wall, double or triple brackets as illustrated on pages 15 and 21.

Use parellel ear brackets to attach track to underside of a heading timber.

Note 6

Hangers designated A are for No. 1 track. Hangers designated B are for No. $2\frac{1}{2}$ track. Hangers designated C are for No. 4 track.

Full Size of Trolley Tracks

Full size of Full size of Track Full size of Track No. 1 No. 2 Track No. 0 "Parlor Door Track" Full size of Tracks Nos. 3 and 4 Full size of No. 3 made of Track 16-Gauge Steel No. $2\frac{1}{2}$ No. 4 made of 13-Gauge Steel

For description and price list see page 7

ADAPTATIONS OF THE COBURN "ROUND TROUGH" TROLLEY TRACKS TO THE VARIOUS STYLES OF HANGERS

No. 0 Track.

Is used only with No. 99 Hangers listed on page 50.

3 feet is the longest length made.

Per foot \$0.16

No. 1 TRACK

Is used with the following styles of Hangers: 90, 95, 119, 120, 122, 135a, 137a, 138a, 139a, "150a," "160a," "161a," "170a," 185a, 195a, 400a, 600a.

10 feet is the longest length.

Per foot \$0.20

No. 2 TRACK

Is exclusively used for Hanging House Doors, and with these styles of Hangers: 75, 80, 85, 100, 110, 115, 200, 210.

Sold only in sets and attached to wood headers.

10 feet longest length made.

No. 21-2 TRACK

Used with the following Hangers: $122\frac{1}{2}$, 135b, 137b, 138b, 139b, 150b, 160b, 161b, 185b, 190b, 195b, 400b, 600b.

10 feet is the longest length made.

Per foot \$0.30

No. 2 1-2 Wood Lined Track

Used with No. 220 Hangers.

10 feet is the longest length made.

Per foot \$0.50

No. 3 TRACK

Used with No. 124 Hangers.

8 feet is the longest length made.

Per foot \$0.40

No. 4 TRACK


Used with the following Hangers: 130, 135c, 137c, 138c, 139c, 140, "150c," "160c," 161c, "170c," "185c," 195c, "196c," 400c. 600c.

8 feet is the longest length made.

Per foot \$0.50

BARN DOOR CARRIERS AND TROLLEYS

Used with Round Trough Trolley Tracks




Carriers

C- 1.	Wood-Bearing Carriers for No. 1 Track (without		
	Trolleys)	Cach,	\$0.25
C- 4.	Roller-Bearing, Fibre Trolley Carriers for No. 1		
	Track	"	1.00
C- 5.	Roller-Bearing, Fibre Trolley Carriers for No. 2		
	Track	"	1.00
C- 6.	Roller-Bearing, Iron Trolley Carriers for No. 1		
	Track	"	.90
C- 7.	Roller-Bearing, Iron Trolley Carriers for No. $2\frac{1}{2}$		
	Track	"	1.25
C- 8.	Roller-Bearing, Fibre Trolley Carriers for 2½ Track	"	1.50
	Roller-Bearing, Fibre Trolley Carriers for Nos.		
	3 and 4 Track	"	4.00
C-10.	Roller-Bearing, Iron Trolley Carriers for Nos.		
	3 and 4 Track	"	2.00
C-11.	Ball-Bearing Carriers, Fibre Trolleys for No. 1 Track	"	1.50
C-12.	Ball-Bearing Carriers, Fibre Trolleys for No. 2½		
	Track	"	2.00
Iron and Fibre Trolleys			
T-1.	Iron Trolley, 17/8 inches in diameter, used with C-1		
	Carrier	Cach,	\$0.20
T-2.	Fibre Trolley, 17/8 inches in diameter, used with C-1		
	Carrier	"	.20

No. 119-119R.

Used with No. 1 Trolley Track



Self-Lubricating Wood Bearings, Iron or Fibre Trolleys, Lateral Adjustments

Suitable for doors that are not over 150 pounds in weight and not more than 2 inches thick.

Illustration shows No. 9 Petticoat that has an adjustment of $1\frac{3}{4}$ inches.

PRICE LIST

Hangers (without Track Brackets)Per Pair,	\$1.90
Hangers (with 3 Side Wall Brackets)	2.50
No. 1 Track furnished up to 10 feet in length Per Foot,	. 20
Side Wall Brackets	. 20
Side Wall Center Stop Bracket Each,	. 35


No. 119R

Roller-Bearings, Iron Trolleys, Lateral Adjustments

Suitable for doors that are not over 200 pounds in weight and not over 2 inches thick.




Hangers (without Track Brackets)...Pair, \$2.30 Hangers (with 3 Side Wall Brackets)...Set, 2.90 Track and Brackets same as above.



No. 119 Hangers	5	lbs.
No. 119 HangersPer Set,	10	66 .
No. 1 Track Per Foot,	$1\frac{1}{2}$	"
Side Wall Brackets	$1\frac{1}{2}$	"
Distance from top of Door to top of Bracket		in.
Distance from top of Door to Bolt Hole in Bracket	$4\frac{3}{8}$	in.
Distance from top of Door to top of Ceiling Bracket	$4\frac{1}{4}$	in.

No. 120-122

Used with No. 1 Trolley Track Roller-Bearings, Iron Trolleys, Lateral Adjustment



Suitable for Doors weighing 300 pounds.

No. 120 for Doors $1\frac{3}{4}$ in. to $2\frac{1}{4}$ in. thick.

No. 122 for Doors $2\frac{1}{4}$ in. to 3 in. thick.

PRICE LIST


Hangers (without Track Brackets)Per Pair,	\$2.50
	3.10
No. 1 Track Per Foot,	. 20
Side Wall Brackets	. 20
Side Wall Center Stop Bracket Each,	.35

Note — Steel petticoats, same as used with No. 137 style hanger will be furnished in place of those shown in cut, at same list price.

No. 120. Hangers	8 lbs.
	14 "
No. 122. Hangers	9 "
	15 "
No. 1 Track Per Foot,	$1\frac{1}{2}$ "
Side Wall BracketsEach,	$1\frac{1}{2}$ "
No. 1 Track can be furnished in any length up to 10 feet.	
Distance from top of Door to top of Bracket	$5\frac{1}{4}$ in.
Distance from top of Door to Bolt Hole in Bracket	$5\frac{5}{8}$ in.
Distance from top of Door to top of Ceiling Bracket	$4\frac{1}{4}$ in.

No. 122 1-2

Used with No. 2½ Trolley Track



Roller-Bearing, Iron Trolleys, 3 Inches in Diameter, Lateral Adjustment

Adapted to Doors weighing 300 to 500 pounds and $2\frac{1}{4}$ to 3 inches in thickness.

Packed with No. 11 Petticoat but can be used with other Petticoats if desired for Doors less than $2\frac{1}{4}$ inches in thickness. See Note foot of page 31.

PRICE LIST

Hangers (without Track Brackets) Per Pair,	\$3.30
Hangers (with 3 Side Wall Brackets) Per Set,	4.35
No. $2\frac{1}{2}$ Trolley Track	.30
Side Wall Brackets for No. 2½ Track Each,	. 35
Side Wall Center Stop Brackets for Double Doors Each,	. 60

WEIGHTS

No. $122\frac{1}{2}$.	Hangers	12	lbs.
	Hangers		
	Trolley Track		
	Trolley Wall BracketsEach,		

No. $2\frac{1}{2}$ Trolley Track can be furnished in any length up to 10 feet.

Any No. $2\frac{1}{2}$ Track Bracket can be used in place of the Side Wall Brackets if desired.

Distance from top of Door to top of Bracket	$6\frac{1}{2}$ in.
Distance from top of Door to Bolt Hole in Bracket	$5\frac{1}{2}$ in.
Distance from top of Door to top of Ceiling Bracket	$5\frac{1}{4}$ in.


No. 124

Used with No. 3 or No. 4 Trolley Track

Roller-Bearing, Iron Trolleys, 3 1-2 Inches in Diameter, Lateral Adjustment

Adapted to Doors weighing 500 to 800 pounds.

Cut shows No. 57 Petticoat. See note foot of page 31.



PRICE LIST

Hangers (without Track Brackets)	\$5.00
Hangers (with 3 Side Wall Brackets) Per Set,	6.50
No. 3 Trolley Track	.40
Side Wall Medium Heavy Brackets Each,	. 50
Side Wall Center Stop Brackets for Double Doors Each,	.80

WEIGHTS

No. 124.	HangersPer Pair	, 20	lbs.
No. 124.	Hangers	32	"
No. 3.	Trolley Track	$2\frac{3}{4}$	"
Side Wall	Medium Heavy Brackets Each,	4	"


No. 3 and No. 4 Track is not furnished in lengths longer than 8 feet each.

The No. 124 Hanger can be used with any of the Brackets used with the No. 4 Track.

Distance from top of Door to top of Bracket	$7\frac{3}{4}$ in.
Distance from top of Door to Bolt Hole in Bracket	$6\frac{3}{4}$ in.
Distance from top of Door to top of Ceiling Bracket	$6\frac{1}{4}$ in.

No. 130

Used with No. 4 Trolley Track



Roller-Bearing, Iron Trolleys, 3 1-2 Inches in Diameter, Lateral Adjustment

Suitable for Doors weighing from 800 to 1200 pounds and not over 3 inches thick.

Cut shows No. 12 Petticoat, 12 inches long. Other Petticoats can be used. See note foot of page 31.

PRICE LIST

Hangers (without Track Brackets)Per Pair,	\$5.50
Hangers (with 3 Side Wall Brackets) Per Set,	7.90
No. 4 Trolley Track	. 50
Side Wall Heavy Brackets Each,	. 80
Side Wall Heavy Center Stop Bracket Each,	1.00

WEIGHTS


No. 130.	HangersPer Pair	r, 22	lbs.
No 130	HangersPer Set,	42	66
No. 4	Trolley Track	t, 4	66
Side Wal	Heavy BracketsEach,	$7\frac{1}{2}$	"

No. 4 Track is not furnished in lengths longer than 8 feet each.

Parallel Ear or Side Ear Brackets as shown on page 32 can be substituted for the Side Wall if desired.

Distance from top of Door to top of Side Wall Bracket Distance from top of Door to Bolt Hole in Bracket	$8\frac{1}{2}$ in.
Distance from top of Door to Boil Hole in Bracket	• 111.
Bracket	$6\frac{1}{4}$ in.

No. 135 A-B-C



Roller-Bearing, Iron Trolleys, Vertical and Lateral Adjustment

Adjusting parts, Bronze Castings.

Pendants, Steel Forgings.

Petticoats, Wrought Iron.

A Rust-Proof and Unbreakable Hanger.

PRICE LIST

No. 135-a. For No. 1 Track (capacity	400 lbs.) Per Pair,	\$5.00
No. 135-b. For No. $2\frac{1}{2}$ Track (capacity		6.00
No. 135-c. For No. 4 Track (capacity		7.00
Track and Brackets same as shown	on pages 10 to 13.	

WEIGHTS

No. 135-a.	For No. 1 Track	. Per	Pair,	7	lbs.
No. 135-b.	For No. $2\frac{1}{2}$ Track	. Per	Pair,	9	"
	For No. 4 Track				

This Hanger can be adjusted either vertically or laterally at any time without taking same off the Door or out of the Track. Adjusting Parts are absolutely Rust-Proof and easily accessible. No special tools are required for adjusting.

Distances from top of Door to top of Bracket same as required for the lateral adjustment Hangers of the corresponding sizes, as shown on pages 10 to 13.

No. 137 A-B-C

Roller-Bearing, Iron Trolleys, Vertical and Lateral Adjustment


Steel Forged Pendants.

Wrought Iron Petticoats.



PRICE LIST

No. 137-a.	For No. 1 Track (capacity	400 lbs.) Per Pair,	\$3.50
No. 137-b.	For No. 2½ Track (capacity	600 lbs.) Per Pair,	4.50
No. 137-c.	For No. 4 Track (capacity	1200 lbs.) Per Pair,	6.00




Track and Brackets same as shown on Pages 10 to 13.

Weights the same as the No. 135 Style Hanger.

Distances from top of Door to top of Bracket same as required for the lateral adjustment. Hangers shown on pages 10 to 13.

No. 138 A-B-C

Roller-Bearing, Iron Trolleys,
Lateral Adjustment, and
Hinged Steel Forged Pendants
Wrought Iron Petticoats



PRICE LIST

No. 138-a.	For No. 1 Track, (capacity	400 lbs.)	\$4.50
No. 138-b.	For No. 2½ Track, (capacity	600 lbs.)	5.50
No. 138-c.	For No. 4 Track, (capacity :	1200 lbs.)	6.50

Track and brackets same as shown on pages 10-13.


Weights same as No. 135 style Hanger.

Distances from top of Door to top of Brackets

	To top of wall bracket.	To center of bolt hole in bracket	To top of parallel ear bracket
No. 138-a.	$5\frac{1}{2}^{\prime\prime}$	$4\frac{5}{8}^{\prime\prime}$	$4\frac{1}{2}^{\prime\prime}$
No. 138-b.	$6\frac{3}{4}''$	$5\frac{3}{4}^{\prime\prime}$	$5\frac{5}{8}^{\prime\prime}$
No. 138-c.	83"	$7\frac{3}{8}^{\prime\prime}$	77"

No. 139 A-B-C

Roller-Bearing, Iron Trolleys,
Lateral and Vertical Adjustments, and Hinged, Steel
Forged Pendants and
Wrought Iron Petticoats



PRICE LIST

No. 139	-a. For I	No. 1	Rail (capacity	400 lbs.)	\$5.00
No. 139	-b. For	No. $2\frac{1}{2}$	Rail (capacity	600 lbs.)	6.00
No. 139	-c. For I	No. 4	Rail (capacity	1200 lbs.)	7.00

Track and Brackets same as shown on pages 10-13.

Weights same as No. 135 style.

Distances from top of Door to top of Brackets

	To top of wall bracket	To center of bolt hole in bracket	To top of parallel ear bracket
No. 139-a.	$6\frac{1}{2}''$	$5\frac{5}{8}^{\prime\prime}$	$5\frac{1}{2}''$
No. 139-b.	$7\frac{3}{4}^{\prime\prime}$	$6\frac{3}{4}^{\prime\prime}$	$6\frac{5}{8}''$
No. 139-c.	$9\frac{3}{4}''$	83"	$7\frac{7}{8}^{\prime\prime}$

No. 140

Used with No. 4 Trolley Track



Roller-Bearing, Iron Trolleys, 3 1-2 Inches in Diameter, Lateral Adjustment

Suitable for Doors weighing from 1200 to 2000 pounds, and from 3 inches to 4 inches thick.

PRICE LIST


Hangers (without Track Brackets)	Per Pair,	\$6.50
Hangers (with 3 Side Wall Brackets)		8.90
No. 4 Trolley Track		. 50
Side Wall Heavy Brackets		.80
Side Wall Heavy Center Stop Bracket		1.00
WEIGHTS		
No. 140. Hangers	Per Pair, 2	29 lbs.
No. 140. Hangers	Per Set, 4	18 "
No. 4. Trolley Track		
Side Wall Heavy Brackets		4 11
No. 4 Track is not furnished in lengths longer	than 8 feet.	
Parallel Ear or Side Ear Brackets, shown on p	page 32, can be	substi-
tuted for the Side Wall Brackets if desired.		
Distance from top of Door to top of Side Wall Bra	acket	$8\frac{1}{2}$ in.
Distance from top of Door to Bolt Hole in Bracke	t	7, in.
Distance from top of Door to top of Parallel Ea	ar or Side Ear	
Bracket		$6\frac{1}{4}$ in.

No. 150 A-B-C

Roller-Bearing, Iron Trolleys, Vertical Adjustment

Steel Forged Pendant Bronze Adjusting Nut

For several Doors hung on parallel tracks. All to enter the same pocket.




PRICE LIST

No. 150-a. For No. 1 Track (capacity 300 lbs.) Per Pair,	\$3.50
No. 150-b. For No. $2\frac{1}{2}$ Track (capacity 400 lbs.) Per Pair,	4.50
No. 150-c. For No. 4 Track (capacity 600 lbs.) Per Pair,	6.00
No. 1 Trolley Track	. 20
No. $2\frac{1}{2}$. Trolley Track	.30
No. 4. Trolley Track	. 50
Parallel Ear Brackets for No. 1 Track Each,	. 25
Parallel Ear Brackets for No. 2½ Track Each,	.40
Parallel Ear Brackets for No. 4 Track Each,	. 80

No. 150-a. Hangers for No. 1 Track	5 7‡	lbs.
No. 150-b. Hangers for No. 4 Track	$11\frac{1}{2}$	"
Parallel Ear Brackets for No. 1 Track Each,	$1\frac{3}{4}$	"
Parallel Ear Brackets for No. 2½ Track Each,	$2\frac{3}{4}$	66
Parallel Ear Brackets for No. 4 Track Each,	7	"
Distance from top of Door to top of Ceiling Bracket, No. 1 Trac	k, 5	in.
Distance from top of Door to top of Ceiling Bracket, No. 2½ Trac	k, 6	½ 1n.
Distance from top of Door to top of Ceiling Bracket, No. 4 Trac	k, 6	in.

No. 160 A-B-C



Roller-Bearing, Iron Trolleys, Vertical Adjustment

Double Hexagon Adjusting Nuts

Wrought Iron Straps for 160-a and 160-b, 10 inches long; for 160-c, 12 inches long.

In ordering this style always state thickness of doors and whether straps are to be spread full thickness of door or with one or both straps cut flush into sides of door.


PRICE LIST

No. 160-a.	Hangers for No. 1 Track (capacity	400 lbs.)Per Pair,	\$4.50
No. 160-b.	Hangers for No. 2½ Track (capacity	600 lbs.)Per Pair,	5.00
No. 160-c.	Hangers for No. 4 Track (capacity	1200 lbs.) Per Pair,	6.00
Track	listed on page No. 7.		
Track	Brackets listed on pages 32 and 34.		


No. 161 A-B-C

This style Hanger is exactly the same as the No. 161 style, except that it has a Bronze Adjusting Nut. The capacity is the same.

No. 161-a. Hangers for No. 1 Track Per Pair, No. 161-b. Hangers for No. $2\frac{1}{2}$ Track Per Pair, No. 161-c. Hangers for No. 4 Track Per Pair,	\$5.50 6.00 7.00
WEIGHTS	
No. 160-a. and 161-a. Hangers	7 lbs. 9 lbs. 15 lbs.



No. 170 A-B-C



Roller-Bearing, Iron Trolleys, Non-Adjustable

Wrought Iron Strap Petticoat for 170-a. and 170-b. Hangers is 10 inches long; for 170-c. Hanger 12 inches long.


Note — In ordering this style of hanger, always state thickness of doors as well as the style of track bracket they are to be used with.

PRICE LIST


No. 170-a.	Hangers for	No.	1	Track Per Pair,	\$4.00
				Track Per Pair,	5.00
					6.00
				ackets see pages 7, 32-34.	

WEIGHTS

No. 170-a.	Hangers Per Pair,	6 lbs.
No. 170-b.	Hangers	81 "
No. 170-c.	Hangers	13 "



Application of the No. 130 Hanger in front and No. 170 Hanger in rear on Double Doors running on Parallel Tracks put up with Double Side Wall Brackets.



No. 185 Style

Heavy School-house Door

With Corner Plate, Double Trolley Carriers, Roller-Bearing

For Straight Track only.


For Curved Track use No. 161.

This style of Hanger is adaptable to all kinds of sliding doors and is of special advantage when it is desirable to slide doors by each other

Price List


	27 407 YY 6 27 4 70 1 D D	01 -0
	No. 185-a Hangers for No. 1 Track, Per Pr	., \$4.50
	No. 1 Track	. 20
	No. 1 Track Brackets, "Side Wall"	
The second secon	No. 14, 15, 16 Each,	.20
	No. 21 and 22, "Parallel Ear" Each,	. 25
No. 185-b. Hangers for No. 21 Track		6.00
No. 2½ Track		.30
No. 2½ Track Brackets, "Side W		
No. 217, 218 and 219	Each,	.35
	Each,	.40
		7.50
No. 4 Track		.50
No. 4 Track Brackets "Side Wall"		
	Each,	.80
No. 52 and 53 "Parallel Far"	Each,	.80
10. 02 and 00 I araner Lai		.00


Illustration shows No. 161 Style Hangers



No. 190

FLUSH DOOR HANGERS Roller-Bearing Carriers, Iron Trolleys





Adapted especially for stable doors where it is desirable to have the same shut tight, keeping out the cold and wind.

The petticoat on the door is constructed so as to allow the pendant from the carrier to slide back and forth so as to carry the door in flush with jamb and thus make the opening perfectly tight.

One Pair of Hangers for a single door includes two of each, roller bearing carriers, pendants and petticoats, one each top and bottom castings for side of door, lock and handle.


No. 190-a.	Hangers for No. 1	TrackPer 1	Pair, \$4.00
No. 190-b.	Hangers for No. $2\frac{1}{2}$	TrackPer	Pair, 5.00
No. 190-c.	Hangers for No. 4	TrackPer	Pair, 6.00

Fastenings and Handle included in price of Hangers.

For Price List of Track and Brackets see pages 7, and 33-35.

No. 190-a.	Hangers Per Pair,	7 lbs.
No. 190-b.	Hangers	, 12 "
No. 190-c.	Hangers	$18\frac{1}{2}$ "

No. 195



CORNER DOOR HANGERS Roller-Bearing Carriers with Single Trolley

Track on wall at right angles to opening projects into wall far enough to allow door


to close tight against wall.

CARRIERS — SWIVEL — For hanging a door that will slide on a wall at a right angle to the door opening. Something novel and practical. Easily applied and operated

PRICE LIST

No. 195-a. Hangers (for No. 1 Track)	\$4.00
Track No. 1	. 20
No. 1 Track Brackets, "Side Wall" Nos. 14, 15 and 16, on p. 32 Each,	.20
Weight of Hangers, per pair, 3 lbs.	
No. 195-b. Hangers (for No. $2\frac{1}{2}$ Track)	5.00
No. $2\frac{1}{2}$ Track	.30
No. 2½ Track Brackets, "Side Wall" Nos. 217, 218, 219, on p. 32, Each,	.35
Weight of Hangers, per pair, 5 lbs.	
No. 195-c. Hangers (for Nos. 3 and 4 Track)	6.00
No. 4 Track	.50
No. 4 Track Brackets, "Side Wall" Nos. 44, 45, 46 on p. 34 Each,	.80
Weight of Hangers, per pair 12 lbs.	

Garage Door Hanger




The illustration on this page shows the application of No. 195 Hangers to Swing and Slide Doors.

This combination is desirable in many instances in narrow garages.


In erecting, the door hinged to jamb should be the thickness of the door less in width than the other doors.

For prices, etc., see opposite page.


Barn Door Stay or Guide Rollers




No. 189
COBURN BARN DOOR
STAY ROLLER
Per Dozen, \$6.00




No. 188 Per Dozen, \$1.25



No. 186
REVERSIBLE
Per Dozen, \$2.00




No. 186 Per Dozen, \$2.00



No. 187
ADJUSTABLE
Per Dozen, \$6.00



F. 14 Per Dozen, \$6.00



No. 500

Steel, Anti-Friction, Loop Frame Barn Door Hangers

No. 501.	For	5 ft.	Doors	Per Pair,	\$1.10
No. 502.	"	10 ft.	" light	Per Pair,	1.30
No. 503.	66	10 ft.	" heav	y Per Pair,	1.75
No. 504.	"	15 ft.	" light	Per Pair,	2.15
No. 505.	"	15 ft.	" heav	y . Per Pair,	2.60

No. 501.	Stran	1 v	1	inch	Wheel	3	inches	diameter.	Weight	Per	Pair,	$7\frac{1}{2}$	lbs.
110. 001.	Strap	1 1	4		"	43	"	"	66	66	66	91	66
No. 502.	66	1 x	4	**		48		"				4	
No. 503.	66	1 ½ x	5-16	6 "	66	5	**	"				104	
No. 500.	"	11	5 16	3 "	"	5	"	"	"	"	66	18	"
No. 504.								"	66	66	66	94	66
No. 505.	"	$1\frac{1}{4} \times$	8	**		9						41	


STEEL BARN DOOR HANGER, COVERED

The Covered Hanger is the same as the "Anti-Friction" with a heavy steel cover applied outside the regular frame. The axle has the same broad bearing surface and the cover not only protects the wheel but carries the drip clear from the axle and ways.

PRICE LIST


No. 511.	For 5 ft	. Door	S	 	\$1.15
No. 512.	" 10 ft	. "	light	 	1.40
No. 513.	" 10 ft	. "	heavy	 	1.95
No. 514.	" 15 ft	. "	light	 	2.35
No. 515.	" 15 ft	"	heavy	 	2.85

No. 511.			Per	Pair, $8\frac{1}{2}$	lbs.
No. 512 No. 513				" $11\frac{1}{2}$ " $15\frac{1}{4}$ " 21 " 28	"
No. 514.				" 21 " 28	"
Size 501-505 H	of Strap	and Wh	eel same	as for the	No.



No. 500

STEEL COVERED HANGERS



These Hangers are adapted for any length run. The Wheels, in sizes above No. 25, are fitted with roller-bearings.

PRICE LIST

No. 525 Per Pair,	\$0.68
No. 530	.82
No. 540	.98
No. 550	1.20
No. 560	1.40
No. 570	4.00


No. 525.	Strap,	1	x 3-16	inches.	Diameter	of	Wheel,	3	inches
No. 530.	"	$1\frac{1}{8}$	x 3-16	"	"	"	"	3	"
No. 540.	"	1	$X = \frac{1}{4}$	"	"	"	"	$3\frac{1}{2}$	"
No. 550.	"	1	x 5-16	"	"	"	"	$3\frac{1}{2}$	"
No. 560.	"	1	x 5-16	"	"	"	"	$3\frac{1}{2}$	"
No. 570.	"	$1\frac{1}{4}$	$X = \frac{3}{8}$	66	"	"	"	$4\frac{3}{8}$	"

No. 525	r Pair,	$5\frac{1}{4}$ 1	bs.
No. 530	"	$5\frac{1}{2}$	"
No. 540	"	$7\frac{1}{2}$	"
No. 550	"	9	"
No. 560	"	9	"
No. 570	"	19	"
		9	



Steel Track

No. 500



Rail stock straight and true.

Brackets one foot apart.

Square rivet holes prevent brackets from turning.

PRICE LIST

Track, 1×3 -16 inchesPer FootTrack, $1\frac{1}{4} \times 3$ -16 inchesPer FootTrack, $1\frac{1}{2} \times 3$ -16 inchesPer Foot	, .085
WEIGHTS	
Track, 1×3 -16 inchesPer FootTrack, $1\frac{1}{4} \times 3$ -16 inchesPer FootTrack, $1\frac{1}{2} \times 3$ -16 inchesPer Foot	, .083 "

Steel Track

No. 555




With separate cast iron Brackets one foot apart to be used with lag screws or bolts.

PRICE LIST

Standard Track, 1½ x 3-16 inches	\$0.09
Standard Track, 2 x 3-16 inches	. 20

Standard Track, 14	x 3-16 inches	Per I	Foot,	.085	lbs.
Standard Track, 2	x 3-16 inches	Per I	Foot,	1.35	66

ILLUSTRATIONS OF PENDANTS AND PETTICOATS USED WITH TROLLEY TRACK HANGERS




DETAILS OF PENDANTS AND PETTICOATS

N		Lint	Drice
No.	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Price
1.	Lateral Adjustment Pendant used with Nos. 124 and 130 Hang	gers,	\$0.40
2.	140	"	. 45
4.	Vertical 400a & 150a	"	. 35
5.	400D,100D&100D	"	.40
6.	4400 & 1500	"	. 50
	Long Stand House Door	"	. 05
7h.	Short 100,200x300	u	. 05
8.	Vertical Adjustment	"	.80
	House Door Pendant Plate 100, 2000 500	u	. 05
	Lateral Adjustment Pendant 119,1200122	"	. 20
11.	$122\overline{2}\dots$	K	. 25
107.	Small Flush Door	44	.30
108.	Large	"	. 60
	Elevator " " " .95		. 20
1901.	House Door Vertical Adjustment Pendant and Plate used	66	co
	with Nos. 85, 110, 210, 310, etc		. 60
b16.	Brass Nut Used with b17 Plate and No. 4 Pendant, used	"	
	with Nos. 150a, 400a		. 50
b17.	Iron Plate used with b16 Nut and No. 4 Pendant, used	"	-0
	with Nos. 150a, 400a		. 50
b19.	Brass Nut used with b23 Plate and No. 6 Pendant, used	"	00-
	with Nos. 150c, 400c		.80
b22.	Brass Nut, large, used with Nos. 160c, 185c and 195c		1.00
b23.	Iron Plate used with b22 and No. 6 Pendant, used with	"	75
	Nos. 150c, 400c	"	.75
40	Petticoat, with 13 in. Adj. Screw Cup used with No. 119	"	. 25
10.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	"	. 20
	" $2\frac{1}{4}$ " " " " " " $122, 122\frac{1}{2}$ " " 130 / see	"	.30
12.	" $2\frac{1}{4}$ " " " " 130 (see		1.10
13.	24		.50
57.	FILE DOOL WILLIA III. Maj. Serew asea with 140. 121		. 25
58.	"Special" for very thin doors, has a 1\frac{1}{4} in. Adj. screw	"	1.00
102.		"	.50
103.			.00
106.	Special for 1001 less than 14 menes thek has		. 25
197	$a 1\frac{1}{4}$ in. Adj. Screw		.30
	Petticoat, steel, for No. 135a, 137a, 138a, 139a		.30
137.	" " " " 107 100 100		.75
137.	Double Wrought Strap Petticoats used with No. 160a H		1.25
		"	1.60
	Double Wrought Strap I cttleoats	"	2.00
170c.	Double Wrought Strap Petticoats " " 160c Single Wrought Offset Strap Petticoats " " 170a	"	1.00
170a.	Single Wrought Offset Strap Petticoats " " 170b	"	1.50
170b.	Single Wrought Offset Strap Petticoats " " 170c	"	1.80
171	Carrier with Pendant, "Special," Used for Iron Gates		
1850	Schoolhouse Door Plate, used with 185a Hangers		1.00
1850	Schoolhouse Door Plate, used with 185c Hangers		1.60
1952	Corner Door Plate Carrier, Pendant and used with 195a Hang	gers	2.25
1950	Corner Door Plate (large), used with 195c		1.60
2000.			

Note—Petticoats Nos. 9, 10, 12, 57, 58 and 106 are all fitted with the same diameter Adjusting Screw, hence are interchangeable, and either can be substituted for any of the others above enumerated. The adjusting screws, however, vary in Length.


ILLUSTRATIONS OF TROLLEY TRACK BRACKETS



DETAIL OF TROLLEY TRACK BRACKETS

No. 12 Petticoat described on page 31						List Price \$0.75
13 Petticoat described on page 31						1.10
14 Right End Closed Side Wall	Brackets	for	No.	1	Гrack	. 20
15 Left End Closed Side Wall	. "	"	"	1	66	. 20
16 Center or Open Side Wall	"	"	"	1	"	. 20
21 Center or Open Parallel Ear	"	66	"	1	"	.25
22 Closed End Parallel Ear	"	"	"	1	66	. 25
23 Open Side Ear	"	"	"	1	66	.30
24 Closed End Side Ear	66	"	"	1	"	.30
47 Open Side Me'd H'y	66	"	66	3	66	. 50
48 Right End Side Wall Me'd H'y	"	"	"	3	66	. 50
49 Left End (Illus. on page 32)	. "	"	"	3	"	. 50
50 Open Side Ear	66	"	"	4	"	1.50
51 Closed Side Ear	"	66.	"	4	"	1.50
52 Closed Parallel Ear	"	"	"	3,	4 "	. 80
53 Closed Parallel Ear	"	"	"	3, 4	1 "	. 80
85 Open Side Wall	"	"	"	0	"	. 16
86 Right End Closed Side Wall	"	"	66	0	"	. 16
87 Left End Closed Side Wall	- 66	"	"	0	. "	.16
91 Open Side Ear	"	"	"	0	66	. 16
92 Closed End Side Ear	"	"	"	0	66	.16
118 Open Double Run Side Wall	"	"	"	1	66	1.00
119 Left End Double Run Side Wall	1 "	"	"	1	"	1.00
120 Right End Double Run Side Wa	all "	"	66	1	66	1.00
132 "Special" Right Angle Side Wa	all "	"	"	1	"	. 35
217 Open Side Wall	"			~		.35
218 Right End Side Wall	"			2		. 35
219 Left End Side Wall	"			-		.35
727 Center Stop Wall (Not Illus.)	"					.35
728 Center Stop Wall	"			- 4		.60
729 Center Stop Wall (Not Illus.)	"					.80
880 Center Parallel Ear (Not Illus.)				,		1.00
1287 Center Stop Parallel Ear	"	"	"	1	66	.40

ILLUSTRATIONS OF TROLLEY TRACK BRACKETS



DETAIL OF TROLLEY TRACK BRACKETS

No.					L	ist Price
44 Center Open Side Wall Br	rackets	or :	No.	4 T	rack	\$0.80
45 Right End Closed Side Wall	"	"	"	4	-66	. 80
46 Left End Closed Side Wall	"	"	"	4	"	. 80
47 Open (see page 32) Side Wall	"	"	66	3	"	. 50
48 Right Closed End (see p.32) Side Wall	"	66	"	3	"	. 50
49 Left Closed End Side Wall	"	66	"	3	"	. 50
69r Right Closed End Corn. Facia "Spc."	, "	66	"	1	"	. 35
69 Open Cornice Facia "Special"	"	"	66	1	"	. 35
691 Left Closed End Corn. Facia "Spec"	, (6	"	"	1	"	. 35
89 Open Parallel Ear	"	"	"	0	"	. 16
90 Closed Parallel Ear	66	"	"	0	"	. 16
111 Open Double Run Side Wall	66	"	"	4	"	2.00
112 Left Closed End Dbl. Run S. Wall	66	66	"	4	"	2.00
113 Right Closed End Dbl. Run S. Wall	66	"	"	4	"	2.00
125 Open Double Run Side Wall	66	"	"	$2\frac{1}{2}$	"	1.25
126 Right Closed End Dbl. Run S. Wall	"	"	"	$2\frac{1}{2}$	66	1.25
127 Left Closed End Dbl. Run Side Wall	66	"	"	$2\frac{1}{2}$	"	1.25
221 Open Parallel Ear	"	"	"	$2\frac{1}{2}$	66	.40
222 Closed Parallel Ear	"	66	"	$2\frac{1}{2}$	"	.40
223 Open Side Ear	66	"	"	$2\frac{1}{2}$	66	. 45
224 Closed Side Ear	"	- 66	"	$2\frac{1}{2}$	66	. 45
233 Open Triple Run	"	66	"	4	"	3.25
234r Right Closed End Triple Run	66	66	"	4	66	3.25
2351 Left Closed End Triple Run	"	66	"	4	"	3.25
237 Open Side Ear "Fort"	"	66	"	4	66	1.00
238 Closed Side Ear "Fort"	"	"	66	4	66	1.00
730 Center Stop Wall (Not Illus.)	"	66	66	4	66	1.00
886 Center Stop Parallel Ear (Not Illus.)) "	"	"	$2\frac{1}{2}$	66	.65

How to Order Coburn House Door Hangers


ELECT the style of Hanger wanted and give the number and the letter, if any, that corresponds to the size of the opening. A door filling an opening six feet wide is a six-foot single and requires a set of No. 8 or No. 8A, B, C, D or E, as desired. Two Doors each three feet wide in a six-foot opening is a six-foot double and requires a set of No. 15 or No. 15A, B, C, D or E. In any case where the opening is the same, whether one or two doors are used in the opening, the Track will be the same, the different numbers showing the size and whether single or double, and the letters showing style of Hangers wanted.

Overhead stops will be furnished if called for on order, otherwise we will send the regular Back Stop as illustrated on page 37.

Every set of Trolley Tracks, except the No. 65, whether for a single or double door, must be made up of two pieces when the door goes into a pocket. Never try to use one-half a double set for the hanging of a single door, as trouble will surely follow. You must have two pieces of track for each set with the exception of the No. 65. With the No. 65 on single sets up to six-foot, only one piece of track is required. On all double sets two pieces are required.

To ascertain extreme length of pocket space required for any set of Trolley Tracks and Headers, double the width of opening and add six inches for the two end lugs.

DIRECTIONS FOR APPLYING BACK STOPS FOR DOUBLE HOUSE DOORS



Attach the "Stop Button" to the back stile of door midway between top and bottom of door, by using the 3-inch lag screws, allowing


the square end to project one-half inch.

Drive a nail or brad in the back edge of door for the notch of the button to rest against and in such a position as to hold the button squarely across the door so that it will come in contact with the rubber bumper in the stop plate. Fasten the "Stop Plate" to the left-hand jamb, cutting same in flush; cut away the edge of the jamb so that the "Stop Button" can pass and strike bumper in the plate. The box casing will cover the "Stop Plate." To remove door from pocket insert a case-knife blade, turn up the stop button and door can then be rolled out of pocket.


SPECIAL NOTICE

We furnish when ordered specially two kinds of Overhead "Stops," "Astragal" and Plain. Unless otherwise specified, we always send the "Back Stops."

No. 65



Ball-Bearing Carrier



NOISELESS SINGLE WOOD TRACK ADJUSTABLE HANGER

Header can be attached to heading timber without removing track. Doors can be taken off and put on track after same is in position without removing track. Track can be taken out and adjusted, if necessary, and put back at any time by simply removing one screw. The adjustment in the hanger is most accessible and can be made with ordinary screw-driver without the trouble of removing cotter pins or other locking devices.

The track is so constructed as to be extremely rigid. These hangers being the easiest and quickest to apply of any hanger made.

PRICE LIST OF HANGERS AND TRACK

SINGLE DOORS					DOUBLE DO	ORS	
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
610 611 612 613 614 615 616 617 618 619 620 621	2 feet, 0 inches 2 " 3 " 2 " 6 " 2 " 9 " 3 " 0 " 3 " 3 " 3 " 6 " 3 " 9 " 4 " 0 " 4 " 6 " 5 " 6 "	\$3.25 3.25 3.25 3.50 3.50 3.75 4.00 4.25 4.50 4.75 5.00	$12\frac{1}{2}$ lbs. $13\frac{1}{4}$ " $14\frac{3}{4}$ " $15\frac{1}{2}$ " $16\frac{1}{4}$ " $17\frac{3}{4}$ " $18\frac{1}{2}$ " 20 "	623 624 625 626 627 628 629 630 631 632 633 634	4 feet, 0 inches 4 " 6 " 5 " 0 " 5 " 6 " 6 " 0 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 " 9 " 0 " 10 " 0 "	\$6.25 6.50 6.75 6.75 6.75 7.00 7.25 7.50 7.75 8.25 8.75 9.25	23 lbs 26½ " 28½ " 29½ " 31 " 32½ " 34 " 35½ " 37 " 40 " 43 " 46 "

Hangers only for Single Doors......Per Set, \$1.75 $6\frac{1}{2}$ lbs. Hangers only for Double Doors......Per Set, 3.50 13 lbs.

When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for various lengths.

Distance from top of door to underside of heading timber, 9½ inches.


No. 75

Ball-Bearing, Single Fibre Trolleys

Adjustable Hangers

Packed in sets with stops, guides and screws.

Track adjustable on Wood Headers.



PRICE LIST OF HANGERS AND TRACK


	SINGLE DOG	ORS		DOUBLE DOORS					
No	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.		
1 G G G G G G G G G G G G G G G G G G G	2 feet, 6 inches 3 " 0 " 3 " 6 " 4 " 0 " 4 " 6 " 5 " 6 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 "	\$3.00 3.50 4.00 4.25 4.50 4.50 4.50 4.75 5.00 5.25 5.50	$16\frac{1}{2}$ lbs. 19 " $21\frac{1}{2}$ " 24 " $26\frac{1}{2}$ " $31\frac{1}{2}$ " $36\frac{1}{2}$ " 39 " $41\frac{1}{2}$ " 44 "	11 G 12 G 13 G 14 G 15 G 16 G 17 G 17 G 18 G 18 G 19 G 19 G 20 G	4 feet, 0 inches 4 " 6 " 5 " 0 " 5 " 6 " 6 " 0 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 " 8 " 6 " 9 " 0 " 9 " 6 " 10 " 0 "	\$5.50 5.75 6.00 6.00 6.25 6.50 6.75 7.00 7.25 7.50 7.75 8.00	28 lbs. 30½ " 33½ " 35½ " 40½ " 43 " 45½ " 48 " 50½ " 53 " 55½ " 58 "		

When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for the various sizes.

This style hanger is designed especially for use when head room is limited. The distance required from top of door to underside of heading timber is 6\square{3} inches.

Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space required double the width of opening and add six inche for the two end lugs.



No. 85

Roller-Bearing, Single Fibre Trolleys

Adjustable Pendants

Packed in sets with stops, guides and screws.

Track adjustable on Headers.

Application of stops shown on page 37.

PRICE LIST OF HANGERS AND TRACK

SINGLE DOORS					DOUBLE DO	ORS	
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
1 D D D D D D D D D D D D D D D D D D D	2 feet, 6 inches 3 " 0 " 3 " 6 " 4 " 0 " 4 " 6 " 5 " 6 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 "	\$3.00 3.00 4.00 4.25 4.50 4.50 4.50 4.75 5.00 5.25 5.50	$16\frac{1}{2}$ lbs. 19 " $21\frac{1}{2}$ " 24 " $26\frac{1}{2}$ " $30\frac{1}{2}$ " $36\frac{1}{2}$ " 39 " $41\frac{1}{2}$ " 44 "	11 D 12 D 13 D 14 D 15 D 16 D 17 D 17 D 18 D 18 D 18 D 19 D 19 D 20 D	4 feet, 0 inches 4 " 6 " 5 " 0 " 5 " 6 " 6 " 0 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 " 8 " 6 " 9 " 0 " 9 " 6 " 10 " 0 "	\$5.50 5.75 6.00 6.00 6.25 6.50 6.75 7.00 7.25 7.50 7.75 8.00	28 lbs. $30\frac{1}{2}$ " $35\frac{1}{2}$ " $40\frac{1}{2}$ " $45\frac{1}{2}$ " $45\frac{1}{2}$ " $50\frac{1}{2}$ " $55\frac{1}{2}$ " $55\frac{1}{2}$ " 58

Hangers only for Single Doors, Per Set, \$1.50 4 lbs. Hangers only for Double Doors, Per Set, 3.00 8 lbs.


When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for various sizes.

Application of No. 85

Allow from top of door to underside of heading timber $8\frac{1}{8}$ inches.

Allow for pocket space at least one inch in excess of thickness of door.


For length of pocket space, double the width of opening and add six inches for the two end lugs.




No. 100

Self-Lubricating Bearings, Double Fibre Trolleys


Packed in sets with stops, guides and screws.





PRICE LIST OF HANGERS AND TRACK

	SINGLE DO	OORS			DOUBLE DO	ORS	
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
$ \begin{array}{c} 1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 7 \\ 8 \\ 8^{\frac{1}{2}} \\ 9 \\ 9^{\frac{1}{2}} \\ 10 \end{array} $	2 feet, 6 inches 3 " 0 " 3 " 6 " 4 " 0 " 4 " 6 " 5 " 0 " 5 " 6 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 "	\$3.00 3.00 3.50 4.00 4.25 4.50 4.50 4.75 5.00 5.25 5.50	15 lbs. 17½ " 20 " 22½ " 25 " 37½ " 35 " 37½ " 40 " 42½ "	$ \begin{array}{c} 11 \\ 12\frac{1}{2} \\ 13 \\ 14 \\ 15 \\ 16 \\ 17 \\ 17\frac{1}{2} \\ 18 \\ 18\frac{1}{2} \\ 19 \\ 19\frac{1}{2} \\ 20 \end{array} $	4 feet, 0 inches 4 " 6 " 5 " 0 " 5 " 6 " 6 " 0 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 " 8 " 6 " 9 " 0 " 9 " 6 " 10 " 0 "	\$5.50 5.75 6.00 6.00 6.25 6.50 6.75 7.00 7.25 7.50 7.75 8.00	$24\frac{1}{2}$ lbs 27 " $29\frac{1}{2}$ " 32 " " $34\frac{1}{2}$ " 42 " $44\frac{1}{2}$ " $49\frac{1}{2}$ " $49\frac{1}{2}$ " 52 " 55 "



Hangers only for Single Doors, Per Set, \$1.50 $2\frac{1}{2}$ lbs. Hangers only for Double Doors, Per Set, $3.00 4\frac{3}{4}$ lbs.

When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for various lengths.


Application of No. 100 Hangers

Allow from top of door to underside of heading timber six inches.

*Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space required, double the width of opening and add six inches for the two end lugs.

Application of stops for double doors shown on page 37.



No. 110

Self-Lubricating Bearings
Double Fibre Trolleys
Adjustable Pendants

Packed in sets with stops, guides and screws.

Track adjustable on Wood Headers.

PRICE LIST OF HANGERS AND TRACK

	SINGLE DOORS				DOUBLE DO	OORS	
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
1 A 3 A 4 A 5 A 6 A 7 A 8 A 9 A 9 A 9 A 10 A	2 feet, 6 inches 3 " 0 " 3 " 6 " 4 " 0 " 4 " 6 " 5 " 6 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 "	\$3.25 3.25 3.75 4.25 4.75 4.75 4.75 5.00 5.25 5.50 5.75	17 lbs. 19½ " 22 " 24½ " 27 " 39½ " 34½ " 37 " 39½ " 42 " 44½ "	11 A 12 A 13 A 14 A 15 A 16 A 17 A 17 A 18 A 18 A 18 A 19 A 20 A	4 feet, 0 inches 4 " 6 " 5 " 0 " 5 " 6 " 6 " 0 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 " 8 " 0 " 10 " 0 "	\$6.00 6.25 6.50 6.50 6.50 7.00 7.25 7.50 7.75 8.00 8.50	30 lbs. 32½ " 35 " 37½ " 40 " 42½ " 45 " 50 " 52½ " 55 " 60 "

Hangers only for Single Doors, Per Set, \$1.75 4\frac{3}{4} lbs. Hangers only for Double Doors, Per Set, 3.50 10 lbs.


When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for the various lengths.

Application of No. 110


Allow from top of door to underside of heading timber $8\frac{1}{8}$ inches.

Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space double the width of opening and add six inches for the two ends lugs.




No. 115



Roller-Bearings, Double Fibre Trolleys

Packed in sets with stops, guides and screws.

Tracks adjustable on Wood Headers.




PRICE LIST OF HANGERS AND TRACK

	SINGLE DOO	ORS		DOUBLE DOORS				
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.	
1 T 2 T 3 T 4 T 5 T 6 T 8 T 8 T 9 T 9 T 10 T	2 feet, 6 inches 3 " 0 " 3 " 6 " 4 " 0 " 4 " 6 " 5 " 6 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 "	\$3.25 3.25 3.75 4.25 4.75 4.75 4.75 5.00 5.25 5.50 5.75	$17\frac{3}{4}$ lbs. $20\frac{1}{4}$ " $22\frac{3}{4}$ " $25\frac{1}{4}$ " $30\frac{1}{4}$ " $30\frac{1}{4}$ " $30\frac{1}{4}$ " $40\frac{1}{4}$ " $42\frac{3}{4}$ " $45\frac{1}{4}$ " $45\frac{1}{4}$ "	11 T 12 T 13 T 14 T 15 T 16 T 17 T 17 T 18 T 18 T 18 T 19 T 19 T 19 T 20 T	4 feet, 0 inches 4 " 6 " 5 " 0 " 5 " 6 " 6 " 0 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 " 8 " 6 " 9 " 0 " 9 " 6 " 10 " 0 "	$\begin{array}{c} \$6.00 \\ 6.25 \\ 6.50 \\ 6.50 \\ 6.50 \\ 7.00 \\ 7.25 \\ 7.50 \\ 7.75 \\ 8.00 \\ 8.25 \\ 8.50 \\ \end{array}$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	

Hanger with Adjustable Pendant so arranged that no weight is placed on adjusting screw which is on the front edge of door and is the most accessible of any Adjustable Hanger made. It allows the door to be raised until it touches the track and consequently requires only the minimum of head room. No more than required for rigid pendant hangers.

When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for various lengths.

Distance from top of door to underside of heading timber, five inches.



No. 200

Roller-Bearings, Double Fibre Trolleys

Rigid Pendants

Packed in sets with stops, guides and screws.

Track adjustable on Wood Headers.

PRICE LIST OF HANGERS AND TRACK

	SINGLE DOORS				DOUBLE DOORS				
No.	Size of Opening	List	Wgt.	No.	Size of (Opening	List	Wgt.	
1 B B B B B B B B B B B B B B B B B B B	2 feet, 6 inches 3 " 0 " 3 " 6 " 4 " 0 " 4 " 6 " 5 " 6 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 "	\$3.25 3.25 3.75 4.25 4.50 4.75 4.75 5.00 5.25 5.50 5.75	$15\frac{1}{2}$ lbs. 18 " $20\frac{1}{2}$ " 23 " " $25\frac{1}{2}$ " $30\frac{1}{2}$ " 33 " $35\frac{1}{2}$ " 38 " $40\frac{1}{2}$ " 43 "	11 B 12 B 13 B 14 B 15 B 16 B 17 B 17 B 18 B 18 B 18 B 19 B 20 B	4 " 5 " 6 " 7 " 8 " 8 "	0 inches 6 " 6 " 6 " 6 " 6 " 6 " 6 " 7 " 7 "	\$6.00 6.25 6.50 6.50 6.50 7.00 7.25 7.50 7.75 8.00 8.50	26½ lbs. 29 " 31½ " 34 " 36½ " 41½ " 44 " 46½ " 49 " 51½ " 56½ "	


When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for the various sizes.

Application of No. 200

Allow from top of door to underside of heading timber six inches.

Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space, double the width of opening and add six inches for the two end lugs.




No. 210

Roller-Bearing, Double Fibre Trolleys

Adjustable Pendant


Packed in sets with stops, guides and screws.

Track adjustable on Wood Headers.



PRICE LIST OF HANGERS AND TRACK

	SINGLE DO	ORS		DOUBLE DOORS				
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.	
$ \begin{array}{c} 1 & C \\ 2 & C \\ 3 & C \\ 4 & C \\ 5 & C \\ 6 & C \\ 8 & C \\ 9 & C \\ 9 & C \\ 9 & C \\ 10 & C \end{array} $	2 feet, 6 inches 3 " 0 " 3 " 6 " 4 " 0 " 4 " 6 " 5 " 0 " 5 " 6 " 6 " 0 " 7 " 6 " 8 " 0 "	\$3.50 3.50 4.00 4.50 4.75 5.00 5.00 5.25 5.50 5.75 6.00	$17\frac{3}{4}$ lbs. $20\frac{1}{4}$ " $22\frac{3}{4}$ " " $25\frac{1}{4}$ " " $30\frac{1}{4}$ " " $30\frac{1}{4}$ " " $30\frac{1}{4}$ " " $40\frac{1}{4}$ " " $40\frac{1}{4}$ " " $40\frac{1}{4}$ " " $45\frac{1}{4}$ " "	11 C 12 C 13 C 14 C 15 C 16 C 17 C 17 C 18 C 18 C 18 C 19 C 20 C	4 feet, 0 inches 4 " 6 " 5 " 0 " 5 " 6 " 6 " 0 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 " 8 " 0 " 10 " 0 "	\$6.50 6.75 7.00 7.00 7.25 7.50 7.75 8.00 8.25 8.50 9.00	31 lbs. 33½ " 36 " 38½ " 41 " 43½ " 46 " 48½ " 51 " 53½ " 56 " 61 "	



Hangers only for Single Doors, Per Set, \$2.00 5\frac{1}{4} lbs. Hangers only for Double Doors, Per Set, 4.00 11 lbs.


When ordering track without hangers, the list price is found by deducting the list price of hangers only from the list prices given for the various lengths.

Application of No. 210

Allow from top of door to underside of heading timber, $8\frac{1}{8}$ inches.

Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space, double the width of opening, and add six inches for the two back lugs.



No. 220

Roller-Bearing, Double Iron Trolley

Adjustable Pendant Wood-Lined Adjustable Track

A perfectly noiseless Hanger.

Wheels run on hard maple.

Packed in sets with stops, guides and screws.

PRICE LIST OF HANGERS AND TRACK

	SINGLE DOORS				DOUBLE DO	ORS	
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
1 E E E E E E E E E E E E E E E E E E E	2 feet, 6 inches 3 " 0 " 3 " 6 " 4 " 0 " 4 " 6 " 5 " 6 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 "	\$5.25 5.25 5.75 6.25 6.75 6.75 6.75 7.00 7.25 7.50 7.75	23 lbs. 26½ " 30 " 33½ " 41½ " 44 " 47½ " 51 " 54½ " 51½ " 51½ " 51½ "	11 E 12 E 13 E 14 E 15 E 16 E 17 E 17 E 18 E 18 E 19 E 20 E	4 feet, 0 inches 4 " 6 " 5 " 0 " 5 " 6 " 6 " 0 " 6 " 6 " 7 " 0 " 7 " 6 " 8 " 0 " 8 " 0 " 10 " 0 "	\$8.00 8.25 8.50 8.50 8.75 9.00 9.25 9.50 9.75 10.00 10.50	39 lbs. 42½ " 46 " 49½ " 53 " 56½ " 60 " 63½ " 70½ " 74 " 81 "

Hangers only for Single Doors, Per Set, \$2.00 $5\frac{1}{2}$ lbs. Hangers only for Double Doors, Per Set, 4.00 11 lbs.


When ordering track without hangers, the list price is found by deducting the list price of hangers only from the list prices given for the various lengths.

Application of No. 220

Allow from top of door to underside of heading timber 8³/₄ inches.

Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space, double the width of opening and add six inches for the two end lugs.




No. 400 A-B-C

Roller-Bearing, Fibre Trolleys, Vertical Adjustment Steel Forged Pendant

Bronze Adjusting Nut

For heavy House, Church or Hall Doors where two or more doors slide into the same pocket.


In ordering always give thickness of door.



PRICE LIST

No. 400-a. For No. 1 Track (capacity 300 lbs Per Pair,	\$4.00
No. 400-b. For No. $2\frac{1}{2}$ Track (capacity 400 lbs.) Per Pair,	5.00
No. 400-c. For No. 4 Track (capacity 600 lbs.) Per Pair,	10.00
No. 1. Trolley Track	. 20
No. $2\frac{1}{2}$. Trolley Track	.30
No. 4. Trolley Track	. 50
Parallel Ear Brackets for No. 1 Track Each,	. 25
Parallel Ear Brackets for No. 2½ Track Each,	.40
Parallel Ear Brackets for No. 3 Track Each,	. 80

Weights same as for No. 150 Hanger shown on page 19.



The distance from center to center of two P. E. Brackets set side by side is as follows:


For No. 1 Track Brackets, 2³/₈ inches.

For No. $2\frac{1}{2}$ Track Brackets, $2\frac{3}{8}$ inches.

For Nos. 3 and 4 Track Brackets, 3\frac{3}{4} inches.

Illustration shows application of the No. 400 and No. 150 styles of hangers to three doors, all to slide into the same pocket.

Track is attached to the header with Parallel Ear Brackets, illustrated on pages 32 and 34, being Nos. 21 and 22—221 and 222—52 and 53.



No. 600

Folding Partition Door Hangers

Ball-Bearing Swivelled Carriers

PRICE LIST

No. 600-a. (Carrier for No. 1 Track (capacity 200 lbs.) Each,	\$3.00
No. 600-b. (Carrier for No. 2½ Track (capacity 300 lbs.) Each,	4.00
	Carrier for Nos. 3 and 4 Track (capacity	
	400 lbs.)	5.00
No. 1.	TrackPer Foot,	. 20
No. $2\frac{1}{2}$	TrackPer Foot,	.30
No. 3.	Track	.40
No. 4.	ΓrackPer Foot,	. 50
	Brackets for No. 1 Track Each,	. 25
Parallel Ear	Brackets for No. 2½ Track Each,	.40
Parallel Ear	Brackets for Nos. 3 and 4 Track Each,	.80

DIRECTIONS FOR APPLYING NO. 600 STYLE HANGER


Select size of Carrier and Track suitable for the thickness and weight of doors to be hung.


Track should equal full width of openings and brackets used as indicated in price list.

Distance from underside of header to top of door will be $4\frac{7}{8}$ inches for No. 1 Track, $6\frac{1}{2}$ inches for No. $2\frac{1}{2}$ Track, and 8 inches for Nos. 3 and 4 Track.

Any number of doors can be used, beginning with a half door, hinged to a strip attached to the jamb on one or both sides according to the proposed way of folding the doors. The half door must be exactly one-half the width of the full-sized doors, less the thickness of the strip to which they are attached. The full-sized doors must be

of an exact width, top and bottom, and edges perfectly parallel. Hinge the doors together, fold them and strike a center line across them all. Attach Carriers on the center of this line, having the center of the pendant on the exact center of the idoor, considering both width and thickness. Attach One Carrier to every other door.





No. 80

Roller-Bearing, Single Iron or Fibre Trolleys, Rigid Pendant

Packed in sets with stops, guides and screws.

Used with Rail and Headers furnished with Nos. 75, 85 and 100 Style of Hangers.

PRICE LIST

Hangers only for Single Doors,
Per Set,
S1.25
Hangers only for Double Doors,
Per Set,
Per Set,
Side of heading timber, six inches.


No. 95

Elevator Door Hangers, Self-Lubricating Bearings, Iron Trolleys, Rigid Pendant

Used with No. 1 Trolley Track.

PRICE LIST

Hangers (without Track Brackets),	Per Pair,	\$2.00
Side Wall Brackets for No. 1 Track,	Each,	.20
Parallel Ear Brackets for No. 1 Track		.25
No. 1 Trolley Track	. Per Foot,	.20



No. 99

Roller-Bearing, Single Iron Trolleys, Rigid Pendant

Used only with No. 0 Track.


For very light doors or glass sash.

PRICE LIST

Hangers (without Track Brackets)	\$1.50 .16 .16
----------------------------------	----------------------

Electric Car Shed and Pier Door Hangers

No. 700



Carriers rigidly attached to Pendants when used on Electric Car Shed Doors

Used with No. 4 Track only

Doors of these kinds are usually very heavy and must have strong attachments. The Track may be attached to the building by the use of "Side Wall" or "Parallel Ear" brackets. Note the opening left between the sections of tracks where trolley wires enter the building. In requesting estimates always advise height, width and thickness of doors, how many runs of track needed, style of bracket, the number of trolley wires entering building and accurately locate these as regards distance of one from the other.

PRICE LIST

No. 4 Rail	\$0.50
O' 1 O'1 YYY 11 TO 1	.80
T 11 011 YYY 11 T	1.75
D 11 1 F D 1	.80
No. 700 Hangers	11.00
Weight, per pair, 23 pounds.	

List Price of Brackets

For Round Trough Track

37 07 00 107 011 777 11 7						
					k	
No. 89 and 90, Parallel Ear Brackets	66	"	"	"		. 16
No. 91 and 92 Side Ear Brackets	"	"	"	66		. 16
No. 14, 15 and 16 Side Wall Brackets	66	"	1	66		. 20
No. 21 and 22 Parallel Ear Brackets	66	"	66	66		. 25
No. 23 and 24 Side Ear Brackets	"	"	66	"		. 30
No. 69, 69r and 69l Spc. Facia Brackets	"	"	66	"		. 35
No. 118, 119 and 120 Dbl. Side Wall	"	66	66	66		1.20
No. 132 Right Angle End Brackets	"	"	66	66		. 35
No. 270, 271 and 272 Extension Bkts.	"	66	"	"		. 35
No. 727 Center Stop Brackets	66	"	"	"		. 35
No. 1287 Parallel Ear Center Stop Bkts.						
No. 734 Triple Run Wall Bracket						
No. 125, 126, 127 Double Run Side Wall 1						
No. 217, 218 and 219 Sin. Run Side Wal						
No. 221 and 222 Parallel Ear Bracket						
No. 223 and 224 Side Ear Bracket			-			
No. 728 Cen. Stop Side Wall Bracket	"	"	66	"		. 60
No. 886 Parallel Ear Cen. Stop Side Wal						
No. 754 Triple Run Wall Bracket						
No. 47, 48 and 49 Side Wall Bracket						
No. 44, 45 and 46 Side Wall Bracket						
No. 50 and 51 Side Ear Bracket						
No. 52 and 53 Parallel Ear Bracket	"	"	"	"		. 80
No. 111, 112 and 113 Dbl. Run Side Wa						
No. 233, 234 and 235 Triple Run Side Wa						
No. 237 and 238 Fort Side Ear Bracket						
No. 730 Center Stop Wall Bracket						
No. 880 Center Stop Parallel Ear Bkt.	"	"	"	"		1.00
No. 1374 and 1375 End Facia Brackets f						
LIST PRICE OF	TR	RAC	KS			
No. 0 3 feet is longest length made.				Pe	er Foot,	\$0.16
No. 1 10 " " " " .						
No. $2\frac{1}{2}$ 10 " " " " . No. 3 8 " " " " " .				Pe	er Foot,	0.30
No. 3 8 " " " " .				Pe	er Foot,	0.40
No. 4 8 " " " " " .				Pe	er Foot,	0.50

LIST PRICES OF COBURN BARN DOOR HANGERS PER PAIR

					PER PAIR		
No	. 80	Roller	Rearing	Sino	Iron or Fibre Tro	olleys	\$ 1.25
		The state of the s		the state of			2.00
	. 95						
No	. 99	Roller	Bearing,	Iron	Wheels		1.50
No	. 119	Wood	Bearing.	Iron	or Fibre Trolleys.		1.90
	. 119-r						2.30
							2.50
	. 120		Bearing,	iron	Trolleys		
No	. 122	66	"	4.6	"		2.50
No	$122\frac{1}{2}$	"	"	"	"		3.30
	. 124	46	"				5.00
		"	"	"	"		
No	. 130						5.50
No	. 135-a	66	"	66			5.00
No	. 135-b	44	"	"	"		6.00
		"	"	66	"		7.00
	. 135-с	"	"	"	"		
No	. 137-a	**	**				3.50
No	. 137-b	"	66	"	"		4.50
No	. 137-с	"	"	"	"		6.00
		"	"	"	"		4.50
	. 138-a	"		"			
No	. 138-b	"	"	66	"		5.50
No	. 138-с	"	"	66	"		6.50
	. 139-a	"	"	66	"		5.00
		"	"	"	"		0.00
	. 139-b						6.00
No	. 139-с	"	66	66			7.00
No	. 140	"	"	"	"		6.50
No	. 150-a	"	66		"		3.50
	4	"	"	"			1 -0
No). 150-b						4.50
No	о. 150-с	"	44	66			6.00
No	. 160-a	"	"	44	"		4.50
	. 160-b	"	"	44	66		5.00
		"	"	"	"		6.00
No	. 160-с	-	-	-			6.00
No). 161-a	44	66	44			5.50
No	o. 161-b	"	"	"	"		6.00
	. 161-c	"	66	66	"		7.00
		"	"	"	"		1.00
No	o. 170-a	**					4.00
No	o. 170-b	66	"	"	"		5.00
No	о. 170-с	44	"	"	"		6.00
	. 185-a		"	"	"		4.50
		"		"	"		2.00
No	o. 185-b	**	**	**			6.00
No	о. 185-с	"	46	"	"		7.50
No	. 190-a	66	"	"	"		4.00
		"	"	"	"		5.00
). 190-b	"	,,,	"	,,		0.00
No	о. 190-с	44	14	44	********		6.00
No	o. 195-a	66	"	66	"		4.00
· No	. 195-b	"	"	"	"		5.00
	o. 195-c	"	"	"	"		6.00
		TI T					
	501	Flat I	rack Har	nger	or 5 ft. door		1.10
No	502	66	11 11		or 10 ft. door light		1.30
No	503	"	" "		or 10 ft door heave	y	1.75
	5. 504	"	4 4		or 15 ft door lieav	y	2.15
		"	4 4		of 15 ft. door light		
No	505				or 15 ft. door heav	y	2.60
No	511	4	11 11		or 5 ft. doors.		1.15
No	5. 512	"	4 4		or 10 ft door light		1.40
	5. 513	ш	4 4		or 10 ft door light		1.95
		и	4 4		of 10 ft. door heav	y	
	5. 514				or 15 ft. door light		2.35
No	0. 515	"	44 44		or 15 ft. door heav	y	2.85
No	525	"	" "		overed Roller Boy	aring	.68
	5. 530	"	4 4		" Koner Bea	" " " " " " " " " " " " " " " " " " "	.82
		"	4 4				
	540					"	.98
No	o. 550	4	44 44		44 44	"	1.20
N	o. 560	ш	11 11		4 4		1.40
	0. 570	"	4 4		4 4	4	
		El					4.00
N	o. 700	Electi	nc Car Si	ned a	d Pier Door Hang	ers	11.00

Detail of House Door Hanger Parts

Used with No. 2 Track Only

No. of Part]	List Price
H 1. Single Trolley Fibre Wheels	Each,	\$0.20
H 2. Single Fibre Trolley Carriers, Pendant and Plate	"	.60
H 3. Wood Bearing Carriers only (without Trolleys)		
H 1	"	. 25
H 4. Roller Bearing Carriers, including Fibre Trol-		
leys H. 1	. "	1.00
H 6. Pendants, "Long Standard"	"	.10
H 7. Pendants, "Short Standard"	"	.10
H 8. Pendant Plates, "Steel"	"	.10
H 9. Guides, "For Bottom of Door"	"	.10
H 10. Back Stop Plate	"	. 10
H 11. Back Stop Button	"	. 10
H 12. Lag Screw, ½ x 3 inch, for Stop Button		. 05
H 13. Overhead Stop Plate	66	.10
H 14. Overhead Stop Strikers	"	. 10
H 15. Small Vertical Adjustable Pendant, used with		
H-3, 4, and 5	"	. 60
H 16. Small Vertical Adjustable Pendant Nut (Brass)	66	. 50
H 17. Small Vertical Adjustable Pendant Plate	66	.30
H 18. Center Double Adjusting Screw Bracket for		
No. 2 Track	66	. 35
H 19. Single Adjusting Screw Plate	66	. 25
H 20. Back Lug	- 66	. 20
H 21. Center Adjusting Screw used with H 19 and		
H 20	66	.10
H 22. Double Nutted Adjusting Screw used with H 21	"	.10
H 23. Stove Bolts for attaching Brackets to Headers	"	. 05
H 24. Wood Header, $1 \times 2\frac{1}{4}$ inches, per foot		.15
H 25. Rivets—Oval Head	"	.05
H 26. Cotter Pins	"	.02

We issue catalogues of our various products as follows:

Rolling Ladders . . No. 47

Automatic Fire Doors and

Fixtures . No. 37

Overhead Monorail . No. 45

Improved Garage Door Hangers



